

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1760	717/124-161.ccls. and compil\$6 same optimiz\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 15:52
S2	11	S1 and generat\$6 with optimization near data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 12:38
S3	1	S2 and execution near time and debug\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 12:39
S4	4	S2 and execution near time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 12:39
S5	3	S2 and performance same (execut\$4 or runtime)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 12:39
S6	181	S1 and optimization near2 level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 12:44
S7	10	S6 and optimization near2 (flag or tag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 12:47
S8	4	S6 and discrete near (component or portions or data or objects)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 12:43
S9	19	S1 and discrete near (component or portions or data or objects)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 12:43

EAST Search History

S10	4	S9 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 12:44
S12	3	S9 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 12:47
S13	891	S1 and generat\$5 same compil\$6 same source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 12:58
S14	8	S13 and discrete near2 components	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 13:01
S15	3	S14 and optimiz\$9 same select\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 12:59
S16	6	S14 and debug\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 13:01
S17	1	S16 and execution near time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 13:01
S18	3	S16 and execut\$3 near3 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 13:03
S19	5	S16 and run\$3 near3 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 13:03
S20	57	717/124-161.ccls. and compil\$6 same (portions or sections or segments or parts) near2 source same select\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 11:49

EAST Search History

S21	16	S20 and select\$6 same optimiz\$6 same (parts or segments or portions or parts) same compil\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 11:36
S22	1	compil\$6 with (portions or sections or segments or parts) near2 source and optimiz\$6 same select\$8 same (source or object or compiled) and compil\$6 with discrete same source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 13:17
S23	0	compil\$6 with (portions or sections or segments or parts) near2 source same discrete and optimiz\$6 same select\$6 same (source or compiled near code or compiled near program or compiled near application or compiled near program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 13:17
S24	0	compil\$6 same (portions or sections or segments or parts) near2 source same discrete and optimiz\$6 same select\$6 same (source or compiled near code or compiled near program or compiled near application or compiled near program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 13:16
S25	0	compil\$6 with (portions or sections or segments or parts) near2 source same discrete	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 13:17
S26	0	compil\$6 same (portions or sections or segments or parts) near2 source same discrete	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 13:17
S27	389	compil\$6 near4 (portions or sections or segments or parts) near2 source near (code or program or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 13:18
S28	1	S27 and profil\$3 and optimiz\$6 near3 (select\$3 or portion or part or segment) near6 (compiled near code or compiled near application or compiled near instruction or compiled near program or object near code or object near instruction or source or discrete)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 13:21

EAST Search History

S29	86	717/124-161.ccls. and compil\$6 same optimiz\$9 and profil\$3 same sample	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 14:21
S30	41	S29 and debug\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 14:22
S31	9	S30 and optimiz\$ same select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 14:33
S32	0	S31 and discrete	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 14:33
S33	0	S31 and optimiz\$6 near2 level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 14:34
S34	0	S31 and optimiz\$6 near2 flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 14:34
S35	0	S31 and optimiz\$6 near2 (flag or tag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 14:34
S36	58	717/124-161.ccls. and compil\$6 with (portions or sections or segments or parts or sampl\$3) near3 source and optimiz\$6 near3 (portions or sections or segments or parts or sampl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 14:48
S37	6	S36 and (flag\$5 or tag\$3 or mark\$3) near2 optimiz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 14:38

EAST Search History

S38	0	generat\$6 near3 select\$3 with (portions or sections or segments or parts or sampl\$3) near4 source near (code or program or application or instructions) and compil\$3 near3 (portions or sections or segments or parts or sampl\$3) near4 source near (code or program or application or instructions) and optimiz\$6 near3 (portions or sections or segments or parts or sampl\$3) near4 source near (code or program or application or instructions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 14:58
S39	14	(portions or sections or segments or parts or sampl\$3) near4 source near (code or program or application or instructions) same compil\$3 and optimiz\$6 near3 (portions or sections or segments or parts or sampl\$3) near4 source near (code or program or application or instructions) same compil\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 15:00
S40	929	717/124-161.ccls. and generat\$6 with source near (sample or code or module or instruction or program) and compil\$6 with (select\$3 or sampl\$3 or portion or part or segment or section or generat\$3) near (code or instruction or program or application or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 15:19
S41	438	S40 and optimi\$6 with (select\$3 or sampl\$3 or portion or part or segment or section or generat\$3) near2 (code or instruction or program or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 15:21
S42	70	S41 and optimi\$9 near3 select\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 15:23
S43	3	S42 and optimiz\$6 near2 (flag or tags or marked)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 15:24

EAST Search History

S44	9	S42 and optimiz\$6 with (flag or tags or marked)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 15:32
S45	71	source near2 (code or instruction or program) near2 (generat\$3 or input\$3) and (split\$3 or divid\$5 or section or segment or portion or parts or sample) and compil\$ with (split\$3 or divid\$5 or section or segment or portion or parts or sample) near3 source and optimiz\$ near2 (selected or divid\$5 or section or segment or portion or parts or sample)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 15:42
S46	8	S45 and debug\$6 same optimiz\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 15:44
S47	3	select\$9 with source near3 list\$3 and PRAGMA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 16:10
S48	33	select\$9 with compil\$6 with portions with source near (code or program or instruction or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 16:12
S49	1	S48 and (header or directives) and optimiz\$ near3 select\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 16:18
S50	3	compil\$8 near selected near portions with (source near code or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 16:19
S51	57	717/124-161.ccls. and compil\$6 same (portions or sections or segments or parts) near2 source same select\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 12:16

EAST Search History

S52	16	S51 and select\$6 same optimiz\$6 same (parts or segments or portions or parts) same compil\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 11:36
S53	2	("6311324").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:37
S54	11	((("6311324") or ("6223337") or ("6983457") or ("7039910") or ("6708330") or ("6993755"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:38
S55	0	((pragma or directive) and (compil\$6 with directive)) and (object adj3 (module or file or program)) and (annotate or select) and opitmiz\$6 and debug\$4 and (breakpoint or break near point) and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 11:47
S56	0	((pragma or directive) and (compil\$6 with directive)) and ((object or source) adj3 (module or file or program)) and (annotate or select) and opitmiz\$6 and debug\$4 and (breakpoint or break near point) and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 11:48
S57	0	((pragma or directive) and (compil\$6 with directive)) and ((object or source) adj3 (module or file or program)) and opitmiz\$6 and debug\$4 and (breakpoint or break near point) and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 11:56
S58	2	717/124-161.ccls. and compil\$6 same (portions or sections or segments or parts) near2 source same select\$8 and optimiz\$6 and debug\$6 same (breakpoint or break near point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 11:51
S59	3	compil\$6 same (portions or sections or segments or parts) near2 source same select\$8 and optimiz\$6 and debug\$6 and (breakpoint or break near point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 11:55

EAST Search History

S60	76	((pragma or directive) and (compil\$6 with directive)) and ((object or source) adj3 (module or file or program)) and debug\$4 and (breakpoint or break near point) and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 11:56
S61	16	S60 and 717/124-161.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 11:57
S62	0	717/124-161.ccls. and compil\$6 and sample same profil\$6 and optimiz\$6 and debug\$6 same (break near point or breakpoint) and counter same visual\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 12:17
S63	0	compil\$6 and sample same profil\$6 and optimiz\$6 and debug\$6 same (break near point or breakpoint) and counter same visual\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 12:19
S64	0	compil\$6 and sample and profil\$6 and optimiz\$6 and debug\$6 same (break near point or breakpoint) and counter same visual\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 12:19
S65	93	compil\$6 and sample and profil\$6 and optimiz\$6 and debug\$6 same (break near point or breakpoint) and counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 12:19
S66	51	S65 and visual\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 12:21
S67	26	S66 and visual\$6 same debug\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/03 12:22